



Fair
Trading

Certificate Number: NSW26092

Certificate of Approval

ISSUED PURSUANT TO THE ELECTRICITY (CONSUMER SAFETY) ACT 2004

ISSUED TO: VIMAR SPA

CLASS OF ARTICLE: Wall Switch

DESCRIPTION OF ARTICLE:

Wall Switch

(Single-pole, single-way switch mechanism for fluorescent lamp loads indicated by 'AX', grey in colour)

Trade Name: 'VIMAR'

Trade Name or Mark: VIMAR

Volts: 250 V

Amperes: 10 A

Watts:

Hertz:

Other Name Plate Particulars:

EXAMINED FOR COMPLIANCE WITH: AS/NZS 3133:2008 A1-2

TYPE REFERENCE CODE: IDEA Series 16000


APPROVAL MARK:

Each electrical article of the abovementioned type shall be marked with Approval Number NSW26092; NSW22261

or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

DATE OF APPROVAL: 03/09/2012

This approval expires 03/09/2017 unless suspended, cancelled, renewed or extended.



For Commissioner for Fair Trading



ADDENDUM TO CERTIFICATE OF APPROVAL NSW26092

Particulars of Modification(s)

16000.B	1P 10 AX 250 V~ 1-way switch, white
17000	1P 10 AX 250 V~ 1-way switch, grey - reduced module
17000.B	1P 10 AX 250 V~ 1-way switch, white - reduced module
<hr/>	
16001	1P 16 AX 250 V~ 1-way switch, grey
16001.B	1P 16 AX 250 V~ 1-way switch, white
16001.F	1P 16 AX 250 V~ 1-way switch, with luminescent indicator, grey
16001.F.B	1P 16 AX 250 V~ 1-way switch, with luminescent indicator, white
16021	1P 16 AX 250 V~ 1-way switch, luminous, for signalling unit
16021.B	1P 16 AX 250 V~ 1-way switch, luminous, for signalling unit
16021.G	1P 16 AX 250 V~ 1-way switch, luminous, for signalling unit, grey - 3 modules
16021.G.B	1P 16 AX 250 V~ 1-way switch, luminous, for signalling unit, white - 3 modules
16021.M	1P 16 AX 250 V~ 1-way switch, luminous, for signalling unit, grey - 2 modules
16021.M.B	1P 16 AX 250 V~ 1-way switch, luminous, for signalling unit, white - 2 modules
17001	1P 16 AX 250 V~ 1-way switch, grey - reduced module
17001.B	1P 16 AX 250 V~ 1-way switch, white - reduced module
17001.F	1P 16 AX 250 V~ 1-way switch, with luminescent indicator, grey - reduced module
17001.F.B	1P 16 AX 250 V~ 1-way switch, with luminescent indicator, white - reduced module
17001.G	1P 16 AX 250 V~ 1-way switch, grey - 2 reduced modules
17001.G.B	1P 16 AX 250 V~ 1 way switch, white - 2 reduced modules
17001.L	1P 16 AX 250 V~ 1-way switch, luminous, for signalling unit, grey - reduced module
17001.L.B	1P 16 AX 250 V~ 1-way switch, luminous, for signalling unit, white - reduced module
<hr/>	
16004	1P 10 AX 250 V~ 2-way switch, grey
16004.B	1P 10 AX 250 V~ 2-way switch, white
17002	1P 10 AX 250 V~ 2-way switch, grey - reduced module
17002.B	1P 10 AX 250 V~ 2-way switch, white - reduced module



ADDENDUM TO CERTIFICATE OF APPROVAL NSW26092

Particulars of Modification(s)

16005	1P 16 AX 250 V~ 2-way switch, grey
16005.B	1P 16 AX 250 V~ 2-way switch, white
16005.F	1P 16 AX 250 V~ 2-way switch, with luminescent indicator, grey
16005.F.B	1P 16 AX 250 V~ 2-way switch, with luminescent indicator, white
16025	1P 16 AX 250 V~ 2-way switch, luminous, for signalling unit, grey
16025.B	1P 16 AX 250 V~ 2-way switch, luminous, for signalling unit, white
16025.G	1P 16 AX 250 V~ 2-way switch, luminous, for signalling unit, grey - 3 modules
16025.G.B	1P 16 AX 250 V~ 2-way switch, luminous, for signalling unit, white - 3 modules
16025.M	1P 16 AX 250 V~ 2-way switch, luminous, for signalling unit, grey - 2 modules
16025.M.B	1P 16 AX 250 V~ 2-way switch, luminous, for signalling unit, white - 2 modules
17003	1P 16 AX 250 V~ 2-way switch, grey - reduced module
17003.B	1P 16 AX 250 V~ 2-way switch, white - reduced module
17003.F	1P 16 AX 250 V~ 2-way switch, with luminescent indicator, grey - reduced module
17003.F.B	1P 16 AX 250 V~ 2-way switch, with luminescent indicator, white - reduced module
17003.G	1P 16 AX 250 V~ 2-way switch, grey - 2 reduced modules
17003.G.B	1P 16 AX 250 V~ 2-way switch, white - 2 reduced modules
17003.L	1P 16 AX 250 V~ 2-way switch, luminous, for signalling unit, grey - reduced module
17003.L.B	1P 16 AX 250 V~ 2-way switch, luminous, for signalling unit, white - reduced module
<hr/>	
16013	1P 16 AX 250 V~ reversing switch, grey
16013.B	1P 16 AX 250 V~ reversing switch, white
16013.F	1P 16 AX 250 V~ reversing switch, with luminescent indicator, grey
16013.F.B	1P 16 AX 250 V~ reversing switch, with luminescent indicator, white
17005	1P 16 AX 250 V~ reversing switch, grey - reduced module
17005.B	1P 16 AX 250 V~ reversing switch, white - reduced module
<hr/>	
16016	2P 16 AX 250 V~ 1-way switch, grey
16016.B	2P 16 AX 250 V~ 1-way switch, white
16016.F	2P 16 AX 250 V~ 1-way switch, with luminescent indicator, grey
16016.F.B	2P 16 AX 250 V~ 1-way switch, with luminescent indicator, white



ADDENDUM TO CERTIFICATE OF APPROVAL NSW26092

Particulars of Modification(s)

16036	2P 16 AX 250 V~ 1-way switch, luminous, for signalling unit
16036.B	2P 16 AX 250 V~ 1-way switch, luminous, for signalling unit
17007	2P 16 AX 250 V~ 1-way switch, grey - reduced module
17007.B	2P 16 AX 250 V~ 1-way switch, white - reduced module

16080	1P NO 10 A 250 V~ push button, general symbol, grey
16080.A	1P NO 10 A 250 V~ push button, maid symbol, grey
16080.A.B	1P NO 10 A 250 V~ push button, maid symbol, white
16080.A.F	1P NO 10 A 250 V~ push button, maid symbol, with luminescent indicator, grey
16080.A.F.B	1P NO 10 A 250 V~ push button, maid symbol, with luminescent indicator, white
16080.B	1P NO 10 A 250 V~ push button, general symbol, white
16080.C	1P NO 10 A 250 V~ push button, bell symbol, grey
16080.C.B	1P NO 10 A 250 V~ push button, bell symbol, white
16080.C.F	1P NO 10 A 250 V~ push button, bell symbol, with luminescent indicator, grey
16080.C.F.B	1P NO 10 A 250 V~ push button, bell symbol, with luminescent indicator, white
16080.E	1P NO 10 A 250 V~ push button, waiter symbol, grey
16080.E.B	1P NO 10 A 250 V~ push button, waiter symbol, white
16080.E.F	1P NO 10 A 250 V~ push button, waiter symbol, with luminescent indicator, grey
16080.E.F.B	1P NO 10 A 250 V~ push button, waiter symbol, with luminescent indicator, white
16080.F	1P NO 10 A 250 V~ push button, general symbol, with luminescent indicator, grey
16080.F.B	1P NO 10 A 250 V~ push button, general symbol, with luminescent indicator, white
16080.P	1P NO 10 A 250 V~ push button, key symbol, grey
16080.P.B	1P NO 10 A 250 V~ push button, key symbol, white
16080.P.F	1P NO 10 A 250 V~ push button, key symbol, with luminescent indicator, grey
16080.P.F.B	1P NO 10 A 250 V~ push button, key symbol, with luminescent indicator, white
16080.V	1P NO 10 A 250 V~ push button valet symbol, grey
16080.V.B	1P NO 10 A 250 V~ push button, valet symbol, white
16080.V.F	1P NO 10 A 250 V~ push button, valet symbol, with luminescent indicator, grey

ADDENDUM TO CERTIFICATE OF APPROVAL NSW26092

Particulars of Modification(s)

16080.V.F.B	1P NO 10 A 250 V~ push button, valet symbol, with luminescent indicator, white
16081	1P NO 10 A 250 V~ push button, light symbol, grey
16081.B	1P NO 10 A 250 V~ push button, light symbol, white
16081.F	1P NO 10 A 250 V~ push button, light symbol, with luminescent indicator, grey
16081.F.B	1P NO 10 A 250 V~ push button, light symbol, with luminescent indicator, white
16090	1P NO 10 A 250 V~ push button, general symbol, luminous, for signalling unit
16090.B	1P NO 10 A 250 V~ push button, general symbol, luminous, for signalling unit
16090.G	1P NO 10 A 250 V~ push button, general symbol, luminous, for signalling unit, grey - 3 modules
16090.G.B	1P NO 10 A 250 V~ push button, general symbol, luminous, for signalling unit, white - 3 modules
16090.M	1P NO 10 A 250 V~ push button, general symbol, luminous, for signalling unit, grey - 2 modules
16090.M.B	1P NO 10 A 250 V~ push button, general symbol, luminous for signalling unit, white - 2 modules
17010	1P NO 10 A 250 V~ push button, general symbol, grey - reduced module
17010.B	1P NO 10 A 250 V~ push button, general symbol, white - reduced module
17010.F	1P NO 10 A 250 V~ push button, general symbol, with luminescent indicator, grey - reduced module
17010.F.B	1P NO 10 A 250 V~ push button, general symbol, with luminescent indicator, white - reduced module
17010.G	1P NO 10 A 250 V~ push button, general symbol, grey - 2 reduced modules
17010.G.B	1P NO 10 A 250 V~ push button, general symbol, white - 2 reduced modules
17010.L	1P NO 10 A 250 V~ push button, general symbol, luminous, for signalling unit, grey - reduced module
17010.L.B	1P NO 10 A 250 V~ push button, general symbol, luminous, for signalling unit, white - reduced module
<hr/>	
16083	1P NC 10 A 250 V~ cord-operated push button, 1.5 m cord, grey
16083.B	1P NC 10 A 250 V~ cord-operated push button, 1.5 m cord, white
<hr/>	

ADDENDUM TO CERTIFICATE OF APPROVAL NSW26092

Particulars of Modification(s)

16084	1P NO 10 A 250 V~ cord-operated push button, 1.5 m cord, grey
16084.B	1P NO 10 A 250 V~ cord-operated push button, 1.5 m cord, white
<hr/>	
16092	1P NC 10 A 250 V~ push button, general symbol, luminous, for signalling unit, grey
16092.B	1P NC 10 A 250 V~ push button, general symbol, luminous, for signalling unit, white
<hr/>	
16093	1P 10 A 250 V~ change-over push button, general symbol, luminous, for signalling unit
16093.B	1P 10 A 250 V~ change-over push button, general symbol, luminous, for signalling unit
<hr/>	
16101	1P NO 16 A 250 V~ push button (ON), grey
16101.B	1P NO 16 A 250 V~ push button (ON), white
16104	1P NC 16 A 250 V~ push button (OFF), grey
16104.B	1P NC 16 A 250 V~ push button (OFF), white
16107	1P NO 16 A 250 V~ breaking-circuit pushbutton (ON), with NC 16 A auxiliary contact, grey
16107.B	1P NO 16 A 250 V~ breaking-circuit pushbutton (ON), with NC 16 A auxiliary contact, white
16110	1P NC 16 A 250 V~ breaking-circuit pushbutton (OFF), with NO 16 A auxiliary contact, grey
16110.B	1P NC 16 A 250 V~ breaking-circuit pushbutton (OFF), with NO 16 A auxiliary contact, white
<hr/>	
16121	Two independent push buttons, 1P NO + 1P NO 10 A 250 V~
16121.B	Two independent push buttons, 1P NO + 1P NO 10 A 250 V~
16126.A	1P NO 10 A 250 V~ push button + warning indicator for signalling unit, orange diffuser, grey
16126.A.B	1P NO 10 A 250 V~ push button + warning indicator for signalling unit, orange diffuser, white
16126.B	1P NO 10 A 250 V~ push button + warning indicator for signalling unit, white diffuser, grey
16126.B.B	1P NO 10 A 250 V~ push button + warning indicator for signalling unit, white diffuser, white



ADDENDUM TO CERTIFICATE OF APPROVAL NSW26092

Particulars of Modification(s)

16126.R 1P NO 10 A 250 V~ push button + warning indicator for signalling unit, red diffuser, grey
16126.R.B 1P NO 10 A 250 V~ push button + warning indicator for signalling unit, red diffuser, white
16126.V 1P NO 10 A 250 V~ push button + warning indicator for signalling unit, green diffuser white

16131 1P 16 AX 250 V~ 1-way switch, NO + NC independent contact with single button, grey
16131.B 1P 16 AX 250 V~ 1-way switch, NO + NC independent contact with single button, white

16140 1P 10 AX 250 V~ 2-way switch (3 terminals) with directional arrows and central OFF position, grey
16140.B 1P 10 AX 250 V~ 2-way switch (3 terminals) with directional arrows and central OFF position, white

16145 2P 10 AX 250 V~ 2-way switch (6 terminals) with directional arrows and central OFF position, grey
16145.B 2P 10 AX 250 V~ 2-way switch (6 terminals) with directional arrows and central OFF position, white

16150 1P 10 A 250 V~ 2-way push button (3 terminals) with directional arrows and central OFF position, grey
16150.B 1P 10 A 250 V~ 2-way push button (3 terminals) with directional arrows and central OFF position, white

16155 2P 10 A 250 V~ 2-way push button (6 terminals) with directional arrows and central OFF position, grey
16155.B 2P 10 A 250 V~ 2-way push button (6 terminals) with directional arrows and central OFF position, white

16160 1P 16 AX 250 V~ key-operated 1-way switch, grey
16160.B 1P 16 AX 250 V~ key-operated 1-way switch, white

ADDENDUM TO CERTIFICATE OF APPROVAL NSW26092

Particulars of Modification(s)

161060.CU 1P 16 AX 250 V~ key-operated 1-way switch, with unified key, 000 codified, grey
 16160.CU.B 1P 16 AX 250 V~ key-operated 1-way switch, with unified key, 000 codified, white
 16160.S 1P 16 AX 250 V~ key-operated 1-way switch, key removable in OFF position only, grey
 16160.S.B 1P 16 AX 250 V~ key-operated 1-way switch, key removable in OFF position only, white
 16160.S.CU 1P 16 AX 250 V~ key-operated 1-way switch, with unified key, 000 codified, removable in OFF position only, grey
 16160.S.CU.B 1P 16 AX 250 V~ key-operated 1-way switch, with unified key, 000 codified, removable in OFF position only, white
 16168 1P 16 AX 250 V~ key-operated 1-way switch, 1 NO + 1 NC independent contacts, grey
 16168.B 1P 16 AX 250 V~ key-operated 1-way switch, 1 NO + 1 NC independent contacts, white
 16168.CU 1P 16 AX 250 V~ key-operated 1-way switch, 1 NO + 1 NC independent contacts, with unified key, 000 codified, grey
 16168.CU.B 1P 16 AX 250 V~ key-operated 1-way switch, 1 NO + 1 NC independent contacts, with unified key, 000 codified, white

16165 2P 16 AX 250 V~ key-operated 1-way switch, grey
 16165.B 2P 16 AX 250 V~ key-operated 1-way switch, white
 16165.CU 2P 16 AX 250 V~ key-operated 1-way switch, with unified key, 000 codified, grey
 16165.CU.B 2P 16 AX 250 V~ key-operated 1-way switch, with unified key, 000 codified, white
 16165.S 2P 16 AX 250 V~ key-operated 1-way switch, key removable in OFF position only, grey
 16165.S.B 2P 16 AX 250 V~ key-operated 1-way switch, key removable in OFF position only, white
 16165.S.CU 2P 16 AX 250 V~ key-operated 1-way switch, with unified key, 000 codified, removable in OFF position only, grey
 16165.S.CU.B 2P 16 AX 250 V~ key-operated 1-way switch, with unified key, 000 codified, removable in OFF position only, white

16180 1P NO 16 A 250 V~ key-operated push button, grey
 16180.B 1P NO 16 A 250 V~ key-operated push button, white



ADDENDUM TO CERTIFICATE OF APPROVAL NSW26092

Particulars of Modification(s)

16180.CU 1P NO 16 A 250 V~ key-operated push button, with unified key, 000 codified, grey
16180.CU.B 1P NO 16 A 250 V~ key-operated push button, with unified key, 000 codified, white
16188 1P 16 A 250 V~ key-operated push button 1 NO + 1 NC contacts, grey
16188.B 1P 16 A 250 V~ key-operated push button 1 NO + 1 NC contacts, white
16188.CU 1P 16 A 250 V~ key-operated push button 1 NO + 1 NC contacts, with unified key, 000 codified, grey
16188.CU.B 1P 16 A 250 V~ key-operated push button 1 NO + 1 NC contacts, with unified key, 000 codified, white


16185 2P NO 16 A 250 V~ key-operated push button, grey
16185.B 2P NO 16 A 250 V~ key-operated push button, white
16185.CU 2P NO 16 A 250 V~ key-operated push button, with unified key, 000 codified, grey
16185.CU.B 2P NO 16 A 250 V~ key-operated push button, with unified key, 000 codified, white

The range of switch mechanisms is provided with the following accessories:-

Supporting frames
Metallic cover plates of various colours
Insulated cover plates of various colours
Rectangular boxes
Round boxes

This approval expires 3 September 2017 unless suspended, cancelled, renewed or extended.

Approved: 3 September 2012



3.9.2012

For Commissioner for Fair Trading





Fair Trading

File Ref: NSW26092/2
Contact: Admin Clerk
Telephone: 02 9895 0722

Massimiliano Tivelli
VIMAR SPA
Viale Vicenza 14
MAROSTICA VICENZA
Italy 36063

Dear Sir/Madam

RENEWAL OF CERTIFICATE OF APPROVAL: NSW26092

Wall Switch

Please find enclosed an addendum to the certificate as sought in your application.

THE APPROVAL NOW EXPIRES ON 03/09/2022 unless it is renewed, extended, suspended or cancelled.

Any sample/s held by this Office should be collected within fifteen (15) days of this letter or the sample/s will be destroyed.

Yours faithfully,

For Commissioner for Fair Trading *22 August 2017*



Fair
Trading

Ref: NSW26092/2

RENEWAL OF CERTIFICATE OF APPROVAL: NSW26092

Particulars of Renewal

The approval of Switch IDEA Series 16000 and all approved modifications has been renewed for a period of FIVE years.

The Approval expires on 03/09/2022 unless it is renewed, extended, suspended or cancelled.

For Commissioner for Fair Trading



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2002010202017163

NAME AND ADDRESS OF THE APPLICANT

VIMAR S.p.A
VIALE VICENZA 14, 36063 MAROSTICA(VI), ITALY

NAME AND ADDRESS OF THE MANUFACTURER

VIMAR S.p.A
VIALE VICENZA 14, 36063 MAROSTICA(VI), ITALY

NAME AND ADDRESS OF THE FACTORY

VIMAR S.p.A
Corso della Ceramica 63 Marostica (VI) ITALY

PRODUCT NAME, MODEL AND SPECIFICATION

See Appendix
See Appendix

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 16915.1-2014

This is to certify that the above mentioned product(s) complies with therequirements of implementation rules for compulsory certification(REFNO.CNCA-C02-01:2014).

Valid from: Nov.05,2020**Valid until:**Nov.05,2025

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Sep.28,2002

The certificate information is available through CNCA's website: www.cnca.gov.cn
Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

证书编号：2002010202017163

委托人名称、地址

伟迈股份有限公司

VIALE VICENZA 14, 36063 MAROSTICA (VI), ITALY (意大利)

生产者（制造商）名称、地址

伟迈股份有限公司

VIALE VICENZA 14, 36063 MAROSTICA (VI), ITALY (意大利)

生产企业名称、地址

伟迈股份有限公司

意大利玛若斯提克 36063 切拉米伽大道 63 号

产品名称和系列、规格、型号

见附件

见附件

产品标准和技术要求

GB/T 16915.1-2014

上述产品符合强制性产品认证实施规则 CNCA-C02-01:2014 的要求，
特发此证。

发证日期：2020 年 11 月 05 日 有效期至：2025 年 11 月 05 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书，证书首次颁发日期：2002 年 09 月 28 日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询

经中国合格评定国家认可委员会认可 CNAS C001-P



主任：

陆杨

中国质量认证中心



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号：2002010202017163

纸 号：

产品名称（中文）：

1. 跷板式双控开关功能件
2. 跷板式单极开关功能件

规格和型号：

1. IDEA 16005、IDEA 16005.B、IDEA 16005.F、IDEA 16005.F.B、IDEA 16025、IDEA 16025.B、IDEA 16025.M、IDEA 16025.M.B、IDEA 17003、IDEA 17003.B、IDEA 17003.L.B、PLANA 14005、PLANA 14005.0 16AX 250V~；
2. IDEA 16001、IDEA 16001.B、IDEA 16001.F、IDEA 16001.F.B、IDEA 16021、IDEA 16021.B、IDEA 16021.M、IDEA 16021.M.B、IDEA 16021.G、IDEA 16021.G.B、IDEA 17001、IDEA 17001.B、IDEA 17001.G、IDEA 17001.G.B、PLANA 14001、PLANA 14001.0 16AX 250V~

注：此附录与证书同时使用时有效。



主 任：

陆 杨

中国质量认证中心



TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or T S E

BELGE NUMARASI REFERENCE NUMBER OF LICENCE	004349-TSE-02/03
BELGENİN İLK VERİLİŞ TARİHİ DATE OF FIRST ISSUE OF LICENCE	07.02.2002
BELGENİN SON GEÇERLİLİK TARİHİ LICENCE VALID UNTIL	30.03.2022
BELGE SAHİBİ KURULUŞUN ADI NAME OF THE LICENCE HOLDER	VIMAR S.p.A.
BELGE SAHİBİ KURULUŞUN ADRESİ ADDRESS OF THE LICENCE HOLDER	VIMAR S.p.A. / VIALE VICENZA, 14 36063 MAROSTICA (V1) YURTDIŞI/İTALYA
ÜRETİM YERİ ADI NAME OF THE MANUFACTURING PLACE	VIMAR S.p.A.
ÜRETİM YERİ ADRESİ ADDRESS OF THE MANUFACTURING PLACE	corso della ceramica 63 36063 marostica (v1) italya - / İTALYA
İPTAL EDİLEN BELGE NUMARASI (Varsa) INDICATION OF SUPERSEDED LICENCE (if any)	004349-TSE-02/02
TESCİLLİ TİCARİ MARKASI REGISTERED TRADE MARK	VIMAR
İLGİLİ TÜRK STANDARDI RELATED TURKISH STANDARD	TS 4915 EN 60669-1 / 18.01.2005 -- TS EN 60669-1/A2 / 19.01.2010
BELGE KAPSAMI SCOPE OF LICENCE	



- 10A, 10AX, 250V, NORMAL KORUMALI, MUHAFAZASIZ, NORMAL KONTAK ARALIKLI, SIVA ALTI, VIDALI TİP TERMİNALLER, SERT VE BÜKÜLEBİLİR İLETKENLER İÇİN B TASARIMLI, ANAHTARI HAREKETE GEÇİRME METODUNA GÖRE, BEŞİK TİP, KORDON ÇALIŞMALI ANAHTARLAR.
MODEL NO:1, 1 NO, 1 NC, 4, 4/2, 6
TİP REFERANSLARI: 10000, 10037, 10004, 10038, 10285, 10280, 10286, 10281, 10235, 10236, 10240, 10241, 10242, 10263, 10264, 10268, 10270, 10271, 10272.
SERİLER: LİNEA
- 16A, 250V, NORMAL KORUMALI, MUHAFAZASIZ, NORMAL KONTAK ARALIKLI, SIVA ALTI, VIDALI TİP TERMİNALLER, SERT VE BÜKÜLEBİLİR İLETKENLER İÇİN B TASARIMLI, ANAHTARI HAREKETE GEÇİRME METODUNA GÖRE, BEŞİK TİP, ANAHTARLAR.
MODEL NO:1, 2, 6, 7
TİP REFERANSLARI: 10001, 10016, 10005, 10038, 10013.

e-imzalı/e-signed

30.03.2021

Belgelendirme Merkezi Başkanı Adına
HİLAL DURUKAN

ELEKTROTEKNİK SEKTÖRÜ MÜDÜR V.

*Bu belge, belgelendirilen ürünün, üretim yerinin Enstitümüzün belirlediği şartları karşıladığını da gösterir.

*Bu belge, hiç bir suretle tahrif edilemez, kısmen veya okunmasını zorlaştıracak şekilde çoğaltılamaz, kazıntı ve silinti yapılamaz.

*TSE ELEKTROTEKNİK SEKTÖRÜ MÜDÜRLÜĞÜ * Adres: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA * Telefon: 0312 416 63 96* Faks: 0312-416 66 17

*TSE BELGELENDİRME MERKEZ BAŞKANLIĞI ; Adres: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telefon: 0 312 416 64 81 / 416 64 27, Faks:0 312 416 66 17 E-posta

:bmb@tse.org.tr ; web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS



BELGE KAPSAMI (004349-TSE-02/03nolu belge devamı) : VIMAR S.p.A.
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS 4915 EN 60669-1 / 18.01.2005 -- TS EN 60669-1/A2 / 19.01.2010

SERİLER:LİNEA

- 10A, 10AX, 250V, NORMAL KORUMALI, MUHAFAZASIZ, NORMAL KONTAK ARALIKLI, SIVA ALTI, VİDALI TİP TERMİNALLER, SERT VE BÜKÜLEBİLİR İLETKENLER İÇİN A TASARIMLI, ANAHTARI HAREKETE GEÇİRME METODUNA GÖRE; BEŞİK TİP, KORDON ÇALIŞMALI, ANİ KONTAKLI ANAHTARLAR.
MODEL NO:4/2, 1NO+1NO, 1NO+1NC, 1, 6, 1NC, 1NO.
TİP REFERANSLARI: 14000, 14004, 14010, 14052, 14060, 14062, 14066, 14068, 14058, 14056, 14008, 14050.

SERİLER:PLANA

- 16AX, 250V, NORMAL KORUMALI, MUHAFAZASIZ, NORMAL KONTAK ARALIKLI, SIVA ALTI, VİDALI TİP TERMİNALLER, SERT VE BÜKÜLEBİLİR İLETKENLER İÇİN A TASARIMLI, ANAHTARI HAREKETE GEÇİRME METODUNA GÖRE; BEŞİK TİP, DÖNER TİP ANAHTARLAR.
MODEL NO:1, 2, 6, 7, 1+1
TİP REFERANSLARI: 14001, 14015, 14005, 14013, 14073, 14083, 14087.

SERİLER:PLANA

- 10A, 10AX, 250V, NORMAL KORUMALI, MUHAFAZASIZ, NORMAL KONTAK ARALIKLI, SIVA ALTI, VİDALI TİP TERMİNALLER, SERT VE BÜKÜLEBİLİR İLETKENLER İÇİN A TASARIMLI, ANAHTARI HAREKETE GEÇİRME METODUNA GÖRE, BEŞİK TİP VE KORDON ÇALIŞMALI TİP ANAHTARLAR.
TİP REFERANSI: 16000, 16004, 16080, 16081, 16084, 16090, 16092, 16121, 16126, 16140, 16145, 16150, 16155, 17000, 17002, 17010.

SERİLER:İDEA

- 16A, 16AX, 250V, NORMAL KORUMALI, MUHAFAZASIZ, NORMAL KONTAK ARALIKLI, SIVA ALTI, VİDALI TİP TERMİNALLER, SERT VE BÜKÜLEBİLİR İLETKENLER İÇİN A TASARIMLI, ANAHTARI HAREKETE GEÇİRME METODUNA GÖRE, BEŞİK TİP VE DÖNER TİP ANAHTARLAR.
MODEL NO:1, 1NC, 1NO, 1+1, 1NO+1NO, 2, 2NO, 6, 7.
TİP REFERANSI: 16001, 16005, 16013, 16016, 16021, 16025, 16036, 16101, 16104, 16107, 16110, 16131, 16160, 16165, 16168, 16180, 16185, 16188, 17001, 17005, 17007, 17003.

SERİLER:İDEA

-10A, 10AX, 250V, NORMAL KORUMALI, MUHAFAZASIZ, NORMAL KONTAK ARALIKLI, SIVA ALTI, VİDALI TİP TERMİNALLER, SERT VE BÜKÜLEBİLİR İLETKENLER İÇİN A TASARIMLI, ANAHTARI HAREKETE GEÇİRME METODUNA GÖRE, BEŞİK TİP, DÖNER TİP, KORDON ÇALIŞMALI, BASMA DÜĞMELİ ANAHTARLAR.
MODEL NO:1, 1NO+1NC, 2, 1NO+1NC/1NO/1NC, 1NO+1NO/1NC, 6, 4, 4/2.
TİP REFERANSLARI: 08000, 08037, 08004, 08038, 08285, 08290, 08296, 08281, 08384, 08380, 08381, 08235, 08236, 08240, 08241, 08242, 08263, 08264, 08268, 08270, 08271, 08272, 08273, 08274, 08275, 08280.

SERİLER:8000

- 16AX, 250V, NORMAL KORUMALI, MUHAFAZASIZ, NORMAL KONTAK ARALIKLI, SIVA ALTI, VİDALI TİP TERMİNALLER, SERT VE BÜKÜLEBİLİR İLETKENLER İÇİN A TASARIMLI, ANAHTARI HAREKETE GEÇİRME METODUNA GÖRE, BEŞİK TİP, ANAHTARLAR.
MODEL: 2, 6, 7, 1NO+1NC, 1
TİP REFERANSLARI: 08071, 08016, 08039, 08005, 08013, 08278, 08001, 08286.

SERİLER: 8000

- 10 A, 10AX, 16 A, 16AX, 250 V, NORMAL KORUMALI, SIVA ALTI, A TASARIMLI, VİDALI BAĞLANTILI,

e-imzalı/e-signed

30.03.2021

Belgelendirme Merkezi Başkanı Adına
HİLAL DURUKAN

ELEKTROTEKNİK SEKTÖRÜ MÜDÜR V.

*Bu belge, belgelendirilen ürünün, üretim yerinin Enstitümüzün belirlediği şartları karşıladığını da gösterir.

*Bu belge, hiç bir suretle tahrif edilemez, kısmen veya okunmasını zorlaştıracak şekilde çoğaltılamaz, kazıntı ve silinti yapılamaz.

*TSE ELEKTROTEKNİK SEKTÖRÜ MÜDÜRLÜĞÜ * Adres: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA * Telefon: 0312 416 63 96* Faks: 0312-416 66 17

*TSE BELGELENDİRME MERKEZ BAŞKANLIĞI ; Adres: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telefon: 0 312 416 64 81 / 416 64 27, Faks:0 312 416 66 17 E-posta :bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS



BELGE KAPSAMI (004349-TSE-02/03nolu belge devamı) : VIMAR S.p.A.
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS 4915 EN 60669-1 / 18.01.2005 -- TS EN 60669-1/A2 / 19.01.2010

BASMALI VE ANİ KONTAKLI ANAHTARLAR

MODEL NO : 1NO,1NC,1NO+1NC,,4/2,1NO+1NO,1,2,6,7,1+1,2NO

TİP REFERANSI : 20001, 20005, 20008, 20010, 20013, 20015, 20050, 20052, 20053, 20056,20058, 20060, 20062, 20066,20068, 20073, 20082, 20083, 20086

SERİSİ : EIKON SERİSİ (K.G. 19.04.2007)

- 16AX, 250V~, NORMAL KORUMALI, SIVA ALTI, A TASARIMLI, VİDALI BAĞLANTILI, MODEL NO: 1, 6, 7, BASMALI ANAHTAR

TİP REF: 20101 KATALOG REF:20101, 20101.B, 20101.N, 20101.2, 20101.2.B, 20101.2.N,

TİP REF: 20105 KATALOG REF:20105, 20105.B, 20105.N, 20105.2, 20105.2.B, 20105.2.N,

TİP REF: 20113 KATALOG REF:20113, 20113.B, 20113.N, 20113.2, 20113.2.B, 20113.2.N,

- 10A, 250V~, NORMAL KORUMALI, SIVA ALTI, A TASARIMLI, VİDALI BAĞLANTILI, MODEL NO: 1NO, BASMALI VE ANİ KONTAKLI ANAHTAR

TİP REF: 20108 KATALOG REF:20108, 20108.B, 20108.N, 20108.2, 20108.2.B, 20108.2.N

İŞIKLI DEĞİŞTİRİLEBİLİR BUTON REFERANSLARI:

Tip Referansı: 20131, 20132

Katalog Referansı: 20131, 20131.B, 20131.N, 20131.C, 20131.C.B, 20131.C.N, 20131.L, 20131.L.B, 20131.L.N, 20131.P, 20131.P.B, 20131.P.N, 20131.O, 20131.O.B, 20131.O.N, 20132, 20132.B, 20132.N, 20132.C, 20132.C.B, 20132.C.N, 20132.L, 20132.L.B, 20132.L.N, 20132.P, 20132.P.B, 20132.P.N, 20132.O, 20132.O.B, 20132.O.N

SERİ ADI: EIKON

- 16AX, 250V~, NORMAL KORUMALI, SIVA ALTI, A TASARIMLI, VİDALI BAĞLANTILI, BEŞİK TİPİ ANAHTAR

TİP REFERANSI: 19001, KATALOG REFERANSI: 19001, 19001.B, 19001.0, 19001.2, 19001.2.B MODEL NO:1

TİP REFERANSI: 19005, KATALOG REFERANSI: 19005, 19005.B, 19005.0, 19005.2, 19005.2.B MODEL NO:6

TİP REFERANSI: 19015, KATALOG REFERANSI: 19015, 19015.B, 19015.0, 19015.2, 19015.2.B MODEL NO:2

- 10A, 250V~, NORMAL KORUMALI, SIVA ALTI, A TASARIMLI, VİDALI BAĞLANTILI, BEŞİK TİPİ ANİ KONTAKLI ANAHTAR

TİP REFERANSI: 19008, KATALOG REFERANSI: 19008, 19008.B, 19008.0, 19008.2, 19008.2.B, 19008.2.C, 19008.2.C.B, 19008.2.L, 19008.2.L.B MODEL NO:1NO

TİP REFERANSI: 19010, KATALOG REFERANSI: 19010, 19010.B, 19010.0 MODEL NO: 1NC

TİP REFERANSI: 19050, KATALOG REFERANSI: 19050, 19050.B MODEL NO: 1NO

TİP REFERANSI: 19052, KATALOG REFERANSI: 19052, 19052.B MODEL NO: 1NO, KORDON ÇALIŞMALI

TİP REFERANSI: 19053, KATALOG REFERANSI: 19053, 19053.B MODEL NO: 1NC, KORDON ÇALIŞMALI

e-imzalı/e-signed

30.03.2021

Belgelendirme Merkezi Başkanı Adına
HİLAL DURUKAN

ELEKTROTEKNİK SEKTÖRÜ MÜDÜR V.

*Bu belge, belgelendirilen ürünün, üretim yerinin Enstitümüzün belirlediği şartları karşıladığını da gösterir.

*Bu belge, hiç bir suretle tahrif edilemez, kısmen veya okunmasını zorlaştıracak şekilde çoğaltılamaz, kazıntı ve silinti yapılamaz.

*TSE ELEKTROTEKNİK SEKTÖRÜ MÜDÜRLÜĞÜ * Adres: Necatibey Cad.No:112 06100 Bakanlıklar/ANKARA * Telefon: 0312 416 63 96* Faks: 0312 416 66 17

*TSE BELGELENDİRME MERKEZ BAŞKANLIĞI ; Adres: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telefon: 0 312 416 64 81 / 416 64 27, Faks:0 312 416 66 17 E-posta :bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS



BELGE KAPSAMI (004349-TSE-02/03nolu belge devamı) : VIMAR S.p.A.
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS 4915 EN 60669-1 / 18.01.2005 -- TS EN 60669-1/A2 / 19.01.2010

TİP REFERANSI: 19013, KATALOG REFERANSI: 19013, 19013.B, 19013.0, 19013.2, 19013.2.B MODEL NO:7
IŞIKLI DEĞİŞTİRİLEBİLİR BUTON REFERANSLARI:

Tip Referansı: 19021, 19026, 19031, 19022, 19027, 19032, 19023, 19028, 19033
Katalog Referansı: 19021, 19021.B, 19021.C, 19021.C.B, 19021.L, 19021.L.B, 19021.P, 19021.P.B, 19021.99,
19021.99.B, 19026, 19026.B, 19031, 19031.B, 19022, 19022.B, 19027, 19027.B, 19032, 19032.B, 19022.C,
19022.C.B, 19022.L, 19022.L.B, 19022.P, 19022.P.B, 19022.99, 19022.99.B, 19023, 19023.B, 19028, 19028.B,
19033, 19033.B, 19033.C, 19033.C.B
IŞIK AKSESUARLARININ TİP REFERANSI: 00931, 00935.A, 00935.B, 00935.G, 00935.R, 00935.W, 00936.A,
00936.B, 00936.G, 00936.R, 00936.W

- 16A, 16AX, 250V~, NORMAL KORUMALI, SIVA ALTI, A TASARIMLI, VİDALI BAĞLANTILI, ANAHTAR
KONTROLLÜ ANAHTAR.

TİP REFERANSI: 19082, 19083 KATALOG REFERANSI: 19082, 19082.B, 19082.CU, 19082.CU.B, 19083,
19083.B, 19083.CU, 19083.CU.B MODEL NO: 2

TİP REFERANSI: 19086 KATALOG REFERANSI: 19086, 19086.B, 19086.CU, 19086.CU.B MODEL NO:2 NO,
(ANAHTAR KONTROLLÜ ANİ KONTAKLI)

- 10A, 10AX, 250V~, NORMAL KORUMALI, SIVA ALTI, A TASARIMLI, VİDALI BAĞLANTILI, BASMALI VE ANİ
KONTAKLI ANAHTAR

TİP REFERANSI: 19056 KATALOG REFERANSI: 19056.33, 19056.33.B, 19056.34, 19056.34.B MODEL NO: 1NO
+1NC,

TİP REFERANSI: 19058 KATALOG REFERANSI: 19058, 19058.B MODEL NO: 1NO+1NC,

TİP REFERANSI: 19060 KATALOG REFERANSI: 19060, 19060.B MODEL NO: 4/2

TİP REFERANSI: 19062, 19066 KATALOG REFERANSI: 19062, 19062.B, 19066, 19066.B MODEL NO: 1 NO + 1
NO

TİP REFERANSI: 19068 KATALOG REFERANSI: 19068, 19068.B MODEL NO:1 NO

TİP REFERANSI: 19108, KATALOG REFERANSI: 19108, 19108.B, 19108.2, 19108.2.B MODEL NO:
1NO

- 16AX, 250V~, NORMAL KORUMALI, SIVA ALTI, A TASARIMLI, VİDALI BAĞLANTILI, BASMALI ANAHTAR

TİP REFERANSI: 19101, KATALOG REFERANSI: 19101, 19101.B, 19101.2, 19101.2.B MODEL NO: 1,

TİP REFERANSI: 19105, KATALOG REFERANSI: 19105, 19105.B, 19105.2, 19105.2.B MODEL NO: 6,

TİP REFERANSI: 19113, KATALOG REFERANSI: 19113, 19113.B, 19113.2, 19113.2.B MODEL NO: 7

IŞIKLI DEĞİŞTİRİLEBİLİR BUTON REFERANSLARI:

Tip Referansı: 19131, 19132

Katalog Referansı: 19131, 19131.B, 19131.C, 19131.C.B, 19131.L, 19131.L.B, 19131.P, 19131.P.B, 19131.0,
19131.0.B, 19132, 19132.B, 19132.C, 19132.C.B, , 19132.L, 19132.L.B, 19132.P, 19132.P.B, 19132.0, 19132.0.B

IŞIK AKSESUARLARININ TİP REFERANSI: 00937.A, 00937.G, 00937.R, 00937.B, 00937.W, 00938.A, 00938.G,
00938.R, 00938.B, 00938.W

e-imzalı/e-signed

30.03.2021

Belgelendirme Merkezi Başkanı Adına
HİLAL DURUKAN

ELEKTROTEKNİK SEKTÖRÜ MÜDÜR V.

*Bu belge, belgelendirilen ürünün, üretim yerinin Enstitümüzün belirlediği şartları karşıladığını da gösterir.

*Bu belge, hiç bir suretle tahrif edilemez, kısmen veya okunmasını zorlaştıracak şekilde çoğaltılamaz, kazıntı ve silinti yapılamaz.

*TSE ELEKTROTEKNİK SEKTÖRÜ MÜDÜRLÜĞÜ * Adres: Necatibey Cad.No:112 06100 Bakanlıklar/ANKARA * Telefon: 0312 416 63 96* Faks: 0312 416 66 17

*TSE BELGELENDİRME MERKEZ BAŞKANLIĞI ; Adres: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telefon: 0 312 416 64 81 / 416 64 27, Faks:0 312 416 66 17 E-posta
:bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or **TSE**

BELGE KAPSAMI (004349-TSE-02/03nolu belge devamı) : VIMAR S.p.A.
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS 4915 EN 60669-1 / 18.01.2005 -- TS EN 60669-1/A2 / 19.01.2010

SERİ ADI: ARKÉ

e-imzalı/e-signed

30.03.2021

Belgelendirme Merkezi Başkanı Adına
HİLAL DURUKAN

ELEKTROTEKNİK SEKTÖRÜ MÜDÜR V.

*Bu belge, belgelendirilen ürünün, üretim yerinin Enstitümüzün belirlediği şartları karşıladığını da gösterir.

*Bu belge, hiç bir suretle tahrif edilemez, kısmen veya okunmasını zorlaştıracak şekilde çoğaltılamaz, kazıntı ve silinti yapılamaz.

*TSE ELEKTROTEKNİK SEKTÖRÜ MÜDÜRLÜĞÜ * Adres: Necatibey Cad.No:112 06100 Bakanlıklar/ANKARA * Telefon: 0312 416 63 96* Faks: 0312-416 66 17

*TSE BELGELENDİRME MERKEZ BAŞKANLIĞI ; Adres: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telefon: 0 312 416 64 81 / 416 64 27, Faks:0 312 416 66 17 E-posta :bmb@tse.org.tr , web : www.tse.org.tr

